

From: Sara Seuberling - AQDX
To: [Records Request](#)
Subject: FW: Chicken feed question
Date: Thursday, December 24, 2015 10:35:29 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.jpg](#)

Correspondence for Permit #040136.

From: Frank Ruiz [<mailto:frui@hickmanseggs.com>]
Sent: Wednesday, December 23, 2015 2:33 PM
To: Sara Seuberling - AQDX
Subject: RE: Chicken feed question

Thank you

From: Sara Seuberling - AQDX [<mailto:SSeuberling@mail.maricopa.gov>]
Sent: Wednesday, December 23, 2015 2:29 PM
To: Frank Ruiz <frui@hickmanseggs.com>
Subject: RE: Chicken feed question

Thanks for the information. The permit modifications will not be finalized until we respond to all hearing comments.

From: Frank Ruiz [<mailto:frui@hickmanseggs.com>]
Sent: Wednesday, December 23, 2015 2:18 PM
To: Sara Seuberling - AQDX
Subject: RE: Chicken feed question

Hi Sara,
We do not feed anything that contains arsenic to our hens. The water for the hens doesn't go through an RO system. Also, when is the revision on the permit will be done.
Please let me know if you need any other information.
Merry Christmas,

Frank G. Ruiz

From: Sara Seuberling - AQDX [<mailto:SSeuberling@mail.maricopa.gov>]
Sent: Tuesday, December 22, 2015 1:24 PM
To: Frank Ruiz <frui@hickmanseggs.com>
Subject: Chicken feed question

Hi Frank,
Do you know if the chickens at Hickman's are fed anything that contains arsenic, such as roxarsone? I understand it is commonly used for broilers but not sure if it is used for layers. Also, does all water

administered to the chickens pass through an RO system?
Thanks,

The Air Quality Department strives to provide excellent customer service to residents of Maricopa County.

How are we doing? [Send us your feedback.](#)

Sara Seuberling

Air Quality Engineer

Maricopa County Air Quality Department

1001 N. Central Avenue, #125 | Phoenix, AZ 85004

Located at the Central Ave. & Roosevelt METRO stop

Desk 602.506.6945 | Cell 602.618.9337 | *CleanAirMakeMore.com*

